



# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 19/05/2025

Revision date: 19/05/2025

:

Version: 1.0

### SECTION 1: Identification

#### 1.1. GHS Product identifier

Product form	Mixture
Product name	Cluebersynth GE 14-151 (H)
Product code	BU ET&A

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Lubricant
Recommended uses and restrictions	For professional use only

#### 1.4. Supplier's details

##### Supplier

Klüber Lubrication München GmbH & Co. KG  
Geisenhausenerstr. 7  
81379 München  
Germany  
T +49 89 7876-0  
[mcm@klueber.com](mailto:mcm@klueber.com)

##### Department issuing data specification sheet

Hilti AG  
Feldkircherstraße 100  
FL 9494 Schaan  
Liechtenstein  
T +423 234 2111  
[product.compliance-power.tools@hilti.com](mailto:product.compliance-power.tools@hilti.com)

#### 1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	---

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### Labelling according to the United Nations GHS

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Disodium sebacate	CAS-No.: 17265-14-4	2.5 – 5	Acute toxicity (oral) Not classified Serious eye damage/eye irritation, Category 2, H319 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard Not classified
white mineral oil (petroleum)	CAS-No.: 8042-47-5	2.5 – 5	Flammable liquids Not classified Acute toxicity (oral) Not classified Aspiration hazard, Category 1, H304 Hazardous to the aquatic environment – Chronic Hazard Not classified
Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized	CAS-No.: 68412-26-0	1 – 2.5	Hazardous to the aquatic environment – Chronic Hazard, Category 4, H413

Full text of H-statements: see section 16

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. If irritation persists, consult a doctor.
First-aid measures after eye contact	Immediately rinse with water for a prolonged period while holding the eyelids wide open. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Move the affected person to the fresh air. Do NOT induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	No information available.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

# Gluebond GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 5.2. Specific hazards arising from the chemical

Reactivity in case of fire	On burning: release of toxic gases/vapours.
Hazardous decomposition products in case of fire	Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides. Sulphur oxides. Phosphorus oxides. Metallic oxides.

### 5.3. Special protective actions for fire-fighters

Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
Prevention Measures for Secondary Accidents	No additional information available.

#### 6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel. Ventilate spillage area. Do not breathe vapours, spray.
----------------------	---

#### 6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

For containment	Keep in suitable, closed containers for disposal.
Methods for cleaning up	Collect spillage. Collect all waste in suitable and labelled containers and dispose according to local legislation.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapours, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat.
Storage conditions	Keep cool. Protect from sunlight. Keep container closed when not in use. Keep away from ignition sources. Keep only in original container.
Packaging materials	Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

# Kluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 8.2. Appropriate engineering controls

Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.
Other information	Do not eat, drink or smoke during use.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

#### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection	In case of repeated or prolonged exposure : Nitrile rubber gloves
Eye protection	Safety glasses
Skin and body protection	Wear suitable protective clothing
Respiratory protection	Avoid breathing dust, mist or spray. In case of insufficient ventilation, wear suitable respiratory equipment

### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	Solid
Appearance	Pasty
Colour	Yellow.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability	Not available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	< 0.001 hPa (20 °C)
Vapour pressure at 50°C	Not available
Density	0.93 g/cm <sup>3</sup> (20 °C)
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	insoluble in water.
Particle size	Not available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties	Product is not explosive
----------------------	--------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat and direct sunlight.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Disodium sebacate (17265-14-4)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

white mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified

Glycerides, mixed decanoyl and octanoyl (73398-61-5)	
NOAEL (animal/female, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

Molybdenum, bis(dibutylcarbamoedithioato)di-μ-oxodioxodi-, sulfurized (68412-26-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard	Not classified
-------------------	----------------

# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

#### Disodium sebacate (17265-14-4)

LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	> 18 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna

#### 12.2. Persistence and degradability

##### Cluebersynth GE 14-151 (H)

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

##### white mineral oil (petroleum) (8042-47-5)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

#### 12.3. Bioaccumulative potential

##### Cluebersynth GE 14-151 (H)

Bioaccumulative potential	Not established.
---------------------------	------------------

##### white mineral oil (petroleum) (8042-47-5)

BCF - Other aquatic organisms [1]	1216 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Kow)	4.3 (Estimated value, KOWWIN)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).

#### 12.4. Mobility in soil

##### Cluebersynth GE 14-151 (H)

Mobility in soil	No additional information available
------------------	-------------------------------------

##### white mineral oil (petroleum) (8042-47-5)

Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.6 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

#### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecological information	Avoid release to the environment.
Additional information	Do not re-use empty containers.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

#### 14.6. Special precautions for user

##### Overland transport

Not regulated

##### Transport by sea

Not regulated

##### Air transport

Not regulated

##### Rail transport

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### SECTION 16: Other information

Issue date	5/19/2025
Revision date	5/19/2025
Abbreviations and acronyms	<p>ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways</p> <p>ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>ATE - Acute Toxicity Estimate</p> <p>BCF - Bioconcentration factor</p> <p>BLV - Biological limit value</p> <p>BOD - Biochemical oxygen demand (BOD)</p> <p>COD - Chemical oxygen demand (COD)</p> <p>DMEL - Derived Minimal Effect level</p> <p>DNEL - Derived-No Effect Level</p> <p>EC-No. - European Community number</p> <p>EC50 - Median effective concentration</p> <p>EN - European Standard</p> <p>IARC - International Agency for Research on Cancer</p> <p>IATA - International Air Transport Association</p> <p>IMDG - International Maritime Dangerous Goods</p> <p>LC50 - Median lethal concentration</p> <p>LD50 - Median lethal dose</p> <p>LOAEL - Lowest Observed Adverse Effect Level</p> <p>NOAEC - No-Observed Adverse Effect Concentration</p> <p>NOAEL - No-Observed Adverse Effect Level</p> <p>NOEC - No-Observed Effect Concentration</p> <p>OECD - Organisation for Economic Co-operation and Development</p> <p>OEL - Occupational Exposure Limit</p> <p>PBT - Persistent Bioaccumulative Toxic</p> <p>PNEC - Predicted No-Effect Concentration</p> <p>RID - Regulations concerning the International Carriage of Dangerous Goods by Rail</p> <p>SDS - Safety Data Sheet</p> <p>STP - Sewage treatment plant</p> <p>ThOD - Theoretical oxygen demand (ThOD)</p> <p>TLM - Median Tolerance Limit</p> <p>VOC - Volatile Organic Compounds</p> <p>CAS-No. - Chemical Abstract Service number</p> <p>N.O.S. - Not Otherwise Specified</p> <p>vPvB - Very Persistent and Very Bioaccumulative</p> <p>ED - Endocrine disrupting properties</p>
Other information	None.

Full text of H-statements:	
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Aquatic Chronic Not classified	Hazardous to the aquatic environment – Chronic Hazard Not classified
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. Not classified	Flammable liquids Not classified
H304	May be fatal if swallowed and enters airways





# Cluebersynth GE 14-151 (H)

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Full text of H-statements:	
H319	Causes serious eye irritation
H402	Harmful to aquatic life
H413	May cause long lasting harmful effects to aquatic life

SDS\_UN\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.